

PowerStream

Battery Electric PPV

WORLD'S MOST **TRUSTED BATTERY FANS**



- On-tool Charging Swappable Lithium-ion Packs
- Multi-Mission Functionality
- **IP66 Water Resistant Rating**

FIREFIGHTING'S ONLY FULLY PURPOSE BUILT BATTERY PPV FAN

0.9hp 10,120 cfm

EX50Li


NEW - Gen2 with Intellisense E3 controller



Model	EX50Li 18"
Order #EL5500-2PK	Includes RAMFAN EX50Li 40V 6Ah battery packs (2), power cord (1), carrying strap (1), wheel kit assembled (1)
Motor	0.9 hp
Runtime at full speed	45 minutes (two battery packs) Unlimited (AC)
Battery Compatability	RAMFAN 40V (2 simultaneously)
IP Rating	IP66
Weight	55 lbs
Dimensions (h x w x d)	22" x 21" x 12"
Approvals	UN 38.3 IEC 62133-2 KC
Nominal Diameter	18″
Controller Platform	Intellisense E3
On-tool Charging	1.5A per battery, simultaneous charge
AMCA 240-15 Verified Airflow	
DC Power Supply	10,120 cfm

Ex50Li

RAMFAN, the only power system built just for firefighting. Delivering the most airflow at the fireground.



EX50Li



*Not suitable for EX150Li due to heavier weight.

EX150Li 1.9hp 12,377 cfm

Tested & certified on battery operation



el	EX150Li 18"
r #EL6525 2PK	Includes RAMFAN EX150Li 52V 8Ah battery packs (2) , power cord (1), wheel kit assembled (1)
r	1.9 hp
ime at full speed	45 minutes (two battery packs) Unlimited (AC)
ery Compatability	RAMFAN 52V (2 simultaneously)
ting	IP66
ht	77 lbs
ensions (h x w x d)	23" x 21" x 21"
ovals	UN 38.3 IEC 62133-2 KC
inal Diameter	18″
roller Platform	Intellisense E3
ool Charging	1.5A per battery, simultaneous charge
A 240-15 Verified Airflow	
ower Supply	12,377 cfm

EX150Li

MISSION KITS



PROUDLY MADE IN CALIFORNIA