

WORLD'S MOST TRUSTED BATTERY FANS

- On-tool Charging
- Swappable Lithium-ion Packs
- Multi-Mission Functionality
- IP66 Water Resistant Rating

EX50Li

FIREFIGHTING’S ONLY FULLY PURPOSE BUILT BATTERY PPV FAN

EX150Li

0.9hp
10,120 cfm

NEW - Gen2 with Intellisense E3 controller



EX50Li


EX150Li
All-Terrain



1.9hp
12,377 cfm



Tested & certified on battery operation



RAMFAN, the only power system built just for firefighting.
Delivering the most airflow at the fireground.



Model	EX50Li 18"
Order #EL5500-2PK	Includes RAMFAN EX50Li 40V 6Ah battery packs (2), power cord (1), carrying strap (1)
Motor	0.9 hp
Runtime at full speed	45 minutes (two battery packs) Unlimited (AC)
Battery System	RAMFAN 40V
IP Rating	IP66
Weight	55 lbs
Dimensions (h x w x d)	22" x 21" x 12"
Approvals	  UN 38.3 IEC 62133-2 KC
Nominal Diameter	18"
Controller Platform	Intellisense E3
On-tool Charging	1.5A per battery, simultaneous charge
AMCA 240-15 Verified Airflow	
DC Power Supply	10,120 cfm

Model	EX150Li 18"
Order #EL6525 2PK	Includes RAMFAN EX150Li 52V 8Ah battery packs (2), power cord (1), wheel kit assembled (1)
Motor	1.9 hp
Runtime at full speed	45 minutes (two battery packs) Unlimited (AC)
Battery System	RAMFAN 52V
IP Rating	IP66
Weight	77 lbs
Dimensions (h x w x d)	23" x 21" x 21"
Approvals	  UN 38.3 IEC 62133-2 KC
Nominal Diameter	18"
Controller Platform	Intellisense E3
On-tool Charging	1.5A per battery, simultaneous charge
AMCA 240-15 Verified Airflow	
DC Power Supply	12,377 cfm

EX50Li

EX150Li

40V Li-Ion Battery Pack
R2-360-AHU External Battery Charger
RSC-5500

Flexible Duct
FDT-185MSR/1810MSR

Integrated Misters
EL8111




Door Bar and Hanger Kit*
EL7095K

Foam Generator
HI-5000

Wheel Kit
EL6015


Vehicle Mount Kit
EL600K/EL610K

External Battery Charger
M1C-6500 52V Li-Ion Battery Pack
M1-52V



*Not suitable for EX150Li due to heavier weight.

MISSION KITS



SMOKE EJECTOR



ZERO DOWNTIME



CONFINED SPACE



REHABILITATION